



We create chemistry

British Columbia Regional Turf Spray Program


Greens – Cool Season

With this geography-specific spray program, superintendents have a customized rotation management plan for disease control. Be sure and include these important rotations in your plan and have strong, resilient turf all year long.

- Intrinsic® brand fungicides, like Lexicon®, Honor® and Insignia® Pro, provide effective disease control and **Plant Health Benefits***, including stronger, deeper roots and higher stress tolerance
- New Lexicon fungicide is a powerhouse broad-spectrum, dual active fungicide providing proven protection against patch diseases, anthracnose, dollar spot and microdochium patch
- Insignia Pro fungicide combines two trusted active ingredients for long-lasting snow mold control
- Maxtima® fungicide delivers long-lasting disease control of key diseases at any temperature for flexibility and year-round confidence
- Xzemplar® fungicide offers the broadest spectrum control of any SDHI available in Canada, protecting against dollar spot, microdochium patch, summer patch, brown ring patch and leaf spot

Learn how to create impressive playing conditions on your course at betterturf.ca.

* Plant Health Benefits refer to products that contain the active ingredient pyraclostrobin.





British Columbia Region

This area features moderate temperatures and variable rainfall, with spring and fall being the wettest seasons. Disease pressure is highest in coastal and valley areas where humidity and nighttime temperatures provide ideal conditions for patch diseases like brown ring patch and summer patch. Fairy ring, anthracnose, fusarium patch and snow mold are also common on this region's cool season greens, tees and fairways.

14-28
day program



Timing	Product	Active Ingredient	Rate/100 m ²	Key Diseases & Benefits
1 Mar 1	Dedicate® Stressgard® fungicide	Tebuconazole + Trifloxystrobin	64 ml	Gray snow mold (<i>Typhula</i> spp.), Microdochium patch (Fusarium) (<i>Microdochium nivale</i>), Pink snow mold (<i>Microdochium nivale</i>)
2 Apr 1	Xzemplar fungicide + Affirm™ WDG fungicide	Fluxapyroxad + Polyoxin-D	8.3 ml + 27 g	Anthracnose (<i>Colletotrichum cereale</i>), Brown ring patch (<i>Waitea circinata</i> var. <i>circinata</i>), Fairy ring (<i>Basidiomycete fungi</i>), Microdochium patch (Fusarium) (<i>Microdochium nivale</i>)
3 May 1	Maxtima fungicide	Mefentrifluconazole	12.5 ml – 25 ml	Anthracnose (<i>Colletotrichum cereale</i>), Brown ring patch (<i>Waitea circinata</i> var. <i>circinata</i>), Fairy ring (<i>Basidiomycete fungi</i>), Summer patch (<i>Magnaporthe poae</i>), Take-all patch (<i>Gaeumannomyces graminis</i>)
4 Jun 1	Lexicon fungicide	Pyraclostrobin + Fluxapyroxad	15 ml	Anthracnose (<i>Colletotrichum cereale</i>), Dollar spot (<i>Sclerotinia homoeocarpa</i>), Microdochium patch (Fusarium) (<i>Microdochium nivale</i>), Summer patch (<i>Magnaporthe poae</i>), Take-all patch (<i>Gaeumannomyces graminis</i>), Plant Health Benefits*
5 Jul 1	Maxtima fungicide	Mefentrifluconazole	12.5 ml	Anthracnose (<i>Colletotrichum cereale</i>)
6 Jul 15	Lexicon fungicide	Pyraclostrobin + Fluxapyroxad	15 ml	Anthracnose (<i>Colletotrichum cereale</i>), Brown patch (<i>Rhizoctonia solani</i>), Fairy ring (<i>Basidiomycete fungi</i>), Microdochium patch (Fusarium) (<i>Microdochium nivale</i>), Pythium (<i>Pythium</i> spp.), Plant Health Benefits*
7 Aug 1	Segway® 400 SC fungicide	Cyazofamid	26.6 ml	Pythium (<i>Pythium</i> spp.)
8 Aug 15	Lexicon fungicide	Pyraclostrobin + Fluxapyroxad	15 ml	Anthracnose (<i>Colletotrichum cereale</i>), Brown patch (<i>Rhizoctonia solani</i> , <i>zeae</i>), Dollar spot (<i>Sclerotinia homoeocarpa</i>), Fairy ring (<i>Basidiomycete fungi</i>), Pythium (<i>Pythium</i> spp.), Plant Health Benefits*
9 Sept 15	Dedicate® Stressgard® fungicide	Tebuconazole + Trifloxystrobin	32 – 64 ml	Anthracnose (<i>Colletotrichum cereale</i>), Dollar spot (<i>Sclerotinia homoeocarpa</i>)
10 Oct 1	Maxtima fungicide	Mefentrifluconazole	12.5 ml	Anthracnose (<i>Colletotrichum cereale</i>), Dollar spot (<i>Sclerotinia homoeocarpa</i>), Microdochium patch (Fusarium) (<i>Microdochium nivale</i>) ¹ , Pink snow mold (<i>Microdochium nivale</i>) ¹ , Take-all patch (<i>Gaeumannomyces graminis</i>)

¹ Suppression.

British Columbia Region



14-28
day program



Timing	Product	Active Ingredient	Rate/100 m ²	Key Diseases & Benefits
11 Nov 1	Xzemplar fungicide + Secure® fungicide	Fluxapyroxad + Fluazinam	8.3 ml + 16 ml	Anthracnose (<i>Colletotrichum cereale</i>), Dollar spot (<i>Sclerotinia homoeocarpa</i>), Microdochium patch (<i>Fusarium</i>) (<i>Microdochium nivale</i>), Take-all patch (<i>Gaeumannomyces graminis</i>)
12 Dec 1	Insignia Pro fungicide	Mefentrifluconazole + Pyraclostrobin	25 mL	Gray snow mold (<i>Typhula</i> spp.), Microdochium patch (<i>Fusarium</i>) (<i>Microdochium nivale</i>), Pink snow mold (<i>Microdochium nivale</i>), Plant Health Benefits*
13 Jan 1	Mirage™ Stressgard® fungicide	Tebuconazole	30 ml – 60 ml	Gray snow mold (<i>Typhula</i> spp.), Pink snow mold (<i>Microdochium nivale</i>) ¹
14 Feb 1	Signature XTRA™ Stressgard® fungicide + Secure® fungicide	Fosetyl-Al + Fluazinam	12.5 ml	Microdochium patch (<i>Fusarium</i>) (<i>Microdochium nivale</i>), Pythium root rot (<i>Pythium volutum</i>) ¹

¹ Suppression.

For more information visit www.BetterTurf.ca.

Always read and follow label directions.

HONOR, INSIGNIA, INTRINSIC, LEXICON, MAXTIMA, and XZEMPLAR are registered trademarks of BASF; all used under license by BASF Canada Inc. HONOR, INSIGNIA, INTRINSIC, LEXICON, MAXTIMA, and/or XZEMPLAR fungicides should be used in a preventative disease control program. © 2024 BASF Canada Inc. Dedicate®, Mirage™, Signature XTRA™ and Stressgard® are trademarks of Bayer Intellectual Property GmbH. Secure and Segway are registered trademarks of Ishihara Sangyo Kaisha, Ltd. All other brands are trademarks or registered trademarks of their respective companies.